

Technogel Mantegel-70



- Average freezing time: 5-7 minutes per batch
- Solid welded stainless steel construction throughout, including handles, door, hinges and beater shaft
- The Copeland scroll-type compressor is extremely quiet, efficient, reliable, and made proudly in the USA
- Patented scraper blades eliminate possible damage to the freezing chamber and can be changed out in under 2 minutes
- Control the firmness/texture of finished product more precisely than with any other machine on the market
- Timed wash cycle with built in retractable flex hose sprayer
- Comes standard with both Italian gelato and American ice cream modes for variable overrun
- ON/OFF button comes standard on all models, unlike our main competition, extending the life of the electronic circuitry



For the past 50 years Technogel has manufactured the most advanced, highest quality gelato and ice cream production equipment available anywhere. The BF series of batch freezers from Technogel is no exception. Thanks to the advanced microprocessor and waterproof control panel, our batch freezers allow the operator more control over the firmness of the finished product than that of any other machine available today. From the heavy gauge welded steel construction to the American made Copeland scroll-type compressor, we offer quite simply the most rugged, reliable, and efficient batch freezer on the market. The solid steel three blade beater shaft and the patented scraper blade insert design offer the smoothest product and most thorough extraction of any other machine as well. So, if you're looking for the most advanced, user friendly batch freezer available; look no further. Technogel has the machine for you.



826 Mahler Rd. Burlingame, CA 94010
Tel: 650.697.1288 Fax: 650.697.1312
Website: www.technogel-usa.com




Dispensing Freezers in
accordance with
NSFI standard
NO 6-(1/2/98)<12CB>



LISTED
Commercial Ice Cream
Maker - 11PB

Specs for Mantegel-70



Average Freezing Time _____ 5-7 minutes
 Hourly Production _____ 60-100 quarts
 Overrun Control _____ Variable, 2 Speed Standard
 Refrigerant Control System _____ Electronic
 Compressor Type _____ Scroll
 Compressor Size _____ 5.0 hp
 Refrigerant Type _____ R404A
 Condenser Cooling _____ Water
 Water Connections _____ 1/2 in. ID
 Frame Type _____ Floor Model
 Frame Construction _____ Welded Steel
 Exterior Panels _____ Stainless Steel
 Interior Access _____ Screwless Rear Panel

Faucet w/ Flex Hose _____ Standard
 Beater Design _____ 3 Blade, Solid Stainless Steel
 Pan/Container Support _____ Adjustable
 Height _____ 54 3/4 in. (1390 mm)
 Width _____ 19 1/4 in. (490 mm)
 Depth _____ 42 9/32 in (1150 mm)
 Locking Casters _____ Standard
 Net Weight _____ 979 lbs. (445 kg)
 Gross Weight _____ 1199 lbs (545 kg)
 Electricity _____ Three Phase, 60 Hz
 Voltage _____ 208/220V
 Max Breaker/Fuse Size _____ 50 Amps
 Running Amps _____ 48 Amps



826 Mahler Rd. Burlingame, CA 94010
 Tel: 650.697.1288 Fax: 650.697.1312
 Website: www.technogel-usa.com



Dispensing Freezers in
 accordance with
 NSF standard
 NO 6-(1/2/98)<12CB>



LISTED
 Commercial Ice Cream
 Maker - 11PB